



11596-25

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Romeo DePlazes

Application No.: 10/804,888

Group Art Unit: 3629

Filed: March 18, 2004

Examiner: Michael J. Fisher

For: METHOD AND SYSTEM FOR MAINTENANCE OF AN ELEVATOR OR  
ESCALATOR INSTALLATION

---

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT/SUBMISSION**

Sir:

In response to the Office Action of February 22, 2008, please amend the above-identified application as follows:

**CONTINGENT EXTENSION REQUEST**

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17, as well as any other fees required at this time, should be charged to our Deposit Account No. 06-2143.

### **SUMMARY OF AMENDMENTS**

1. \_\_\_\_ If checked, an abstract (an amended abstract) is submitted herewith.
2. \_\_\_\_ If checked, amendment(s) to the drawings are submitted herewith.
3. \_\_\_\_ If checked, amendment(s) to the specification are submitted herewith.
4.   X   If checked, amendments to the claims are submitted herewith.